

المركز السعودي لسلامة المرضى SAUDI PATIENT SAFETY CENTER



اللجنة الوطنية للسلامة الدوائية في الصيدليات المجتمعية National Medication Safety Iin Community Pharmacy Committee

14 May 2020

Community Pharmacy Guidance During COVID-19

This guidance Summarizes the most important international safety aspects to minimize the risk of exposure during COVID-19 pandemic. Applies to all community pharmacy staff and patients/visitors

Face Covering

Pharmacists and pharmacy technicians should always wear a facemask while they are in the pharmacy.





Hand Hygiene

Staff should use Hand wash ing facility and/or alcohol -Based Hand sanitizer with at least 60% ethyl alcohol or isopropyl alchol 70% to disin fect hands to be used after attending to each patient/visi tor and provide easy access to sanitizers to all customers







المركز السعودى لسلامة المرضى SAUDI PATIENT SAFETY CENTER



اللجنة الوطنية للسلامة الدوائية في الصيدليات المجتمعية National Medication Safety lin Community Pharmacy Committee


14 May 2020

Community Pharmacy Gudiance During COVID-19

Pharmacy access and physical distancing measures

- Use signage and floor mark ers to make sure that each patient \ customer remain (1.8) m) away from the pharmacy customer and next customer.
- Limit the number of custom ers in the pharmacy to maintain those measures
- To protect from droplets pharmacy may install a section of clear plastic at the customer contact area to provide barrier protection (e.g., Plexiglas type material or clear plastic sheet).







Prescription filling

The pharmacy should develop procedures to avoid handling paper prescriptions, insurance and payment cards if not possible a proper hand hygiene should be done after each handling









المركز السعودي لسلامة المرضك SAUDI PATIENT SAFETY CENTER



اللجنة الوطنية للسلامة الدوائية في الصيدليات المجتمعية National Medication Safety lin Community Pharmacy Committee

14 May 2020

Community Pharmacy Gudiance During COVID-19

Adjusting Services

Discontinue the use of maga zines and other shared items in the pharmacy.

Pharmacy staff close-contact patient care procedures (e.g. vaccination, blood glucose test) should be provided with appropriate PPE.

Pharmacy should assess risk versus benefits from the services and readjust accordingly.





Advices and Cautions to Patients

- Avoid unnecessary long stays in the pharmacy.
- Where possible, order your medication through online services.
- Avoid touching products in the pharmacy.
- Everyone entering the phar macy should wear a face covering (Cloth, or face mask)





References Apply to all

- 1. Guidance for Pharmacies. (2020, April 14). Retrieved from https://www.cdc.gov/coronavirus/2019-ncov/hcp/pharmacies.html
- 2. FIP: COVID-19: GUIDELINES FOR PHARMACISTS AND THE PHARMACY WORKFORCE (PDF). (n.d.). Retrieved from http://bsac.org.uk/covid19-resources/fip-covid-19-guidelines-for-pharmacists-and-the-pharmacy-workforce-pdf/